
replimate

Release 0.2.2

May 20, 2016

1	Checking Replication Status	3
2	Starting a Replication Job	5
3	Indices and tables	7

Replimate is a [Node.js](#) library that is designed to provide a simple API to for working with [CouchDB](#) replication (via the [Replicator](#) database).

Contents:

Checking Replication Status

Getting the current *_replicator* database rules is simple using replimate:

Running this example should run output similar to the following:

```
[ { _id: 'test_test2',
  _rev: '119-c46968d9e7a4485015279b4e3af7d465',
  source: 'test',
  target: 'test2',
  continuous: true,
  create_target: true,
  user_ctx: { name: 'admin', roles: [ '_admin' ] },
  owner: 'admin',
  _replication_state: 'triggered',
  _replication_state_time: '2012-07-20T03:32:43+00:00',
  _replication_id: '922742a54303e0c8aa96b09f93bf55ca' } ]
```

This data is provided directly from the CouchDB *_replicator* db entry, and will contain both current and completed replication jobs.

Starting a Replication Job

Starting a replication job is simple when using replimate:

```
var replimate = require('replimate'),
var targetUrl = process.env.COUCHDB_URL || 'http://localhost:5984';
var opts = {
  action: 'replicate',
  source: 'http://sidelab.iriscouch.com/seattle_neighbourhood',
  target: 'seattle_neighbourhood'
};

// create a replication rule to run from the test seattle_neighbourhood db
// to a local copy on the replimate instance
replimate(targetUrl, opts, function(err, monitor) {
  console.log('replication started');

  // using the returned monitor,
  // report when the replication has finished
  monitor.on('completed', function() {
    console.log('replication finished');
  });
});
```

Indices and tables

- `genindex`
- `modindex`
- `search`